

## Woodgrain Doors

Full-Line Door Catalog



Beauty
Strength
Durability

# TABLE OF CONTENTS

Woodgrain Doors Overview	
Beauty. Strength. Durability.	3
Our History	3
Our Commitment	3
<b>Door Selection Process</b>	
Selecting the Right Door	4
<u>Quality Craftsmanship</u>	4
Woodgrain Door Sizes	4
Dutch Doors & Custom Applications	5
Express Ship Inventory	5
Style & Rail Construction	5
Features and Benefits	5
<u>Choose a Door Type</u>	6
Personalize with Species	8
Personalize with Glass	10
<u>Interior</u>	
Raised Panel	14
Flat Panel	16
<u>Plank Panel</u>	18
Decorative Glass & Utility	19
<u>Barn</u>	20
Louver & Cafe	22
<u>Billfold</u>	24
Traditional & Contemporary French	26
<u>Sash</u>	28
Design Collection Primed MDF	30
<u>Dutch</u>	40
<u>Exterior</u>	
Raised Panel	44
Glass/TDL	46
<u>Sash</u>	48
<u>Plank Panel</u>	51
<u>Craftsman</u>	52
<u>Sidelights</u>	54
<u>Transoms</u>	56
<u>Finishing</u>	58
Fitting and Hanging	60
Storing and Handling	60
<u>Maintenance</u>	61
Warrantv	63





# Beauty, Strength, & Durability.

Woodgrain Doors combines beauty, strength and durability in every door we offer. Our finely crafted doors connect your most cherished indoor and outdoor spaces. By combining the breadth of styles, designs and customizable options Woodgrain Doors offers with the superior craftsmanship of our products, you're sure to find a door to meet your functional needs while also enhancing the charm of your home.

Woodgrain Doors is one of the world's leading manufacturers and suppliers of hardwood and softwood stile and rail doors, and door components. Distributors, builders, remodelers, architects, designers and homeowners rely on Woodgrain products to build quality homes. Woodgrain is committed to innovation through continuous improvements in manufacturing, investment in design, excellence in craftsmanship and use of the highest quality raw materials to build doors that are as durable as they are beautiful.

## **Our History**

Woodgrain has manufactured millwork and building products for the residential and commercial construction markets since it was founded in 1954. In over 65 years in business, the company has expanded with millwork, distribution, doors and window divisions — making Woodgrain the preferred leader in the construction and home building industry.

Woodgrain Doors began in 1985 with the acquisition of Meridian Wood Products by our parent company, Woodgrain Millwork. Woodgrain Doors is headquartered in Nampa, Idaho and manufactures and distributes hundreds of thousands of doors annually.

## **Our Commitment**

In our total commitment to the environment, Woodgrain promises to act as a responsible corporate citizen, optimizing our use of resources and producing products that have a positive impact on the environment and the health of people. The wood used by Woodgrain primarily originates from sustainable sources. Our manufacturing processes ensure over 99% of the wood fiber is used as a product. Woodgrain recycles every product possible and strives to operate in an environmentally conscious manner.

## **Door Selection Process**

## Selecting the Right Door


From traditional to contemporary styles, choose features such as panel, glass, size and species for your ideal door:

- Determine application Interior, Exterior, Barn or Rolling Door, Fire Door, Etc.
- Determine your size
- Choose a door design and type
- Pick a species
- Select from the panel options
- Upgrade with add-ons

To learn more about Woodgrain Doors, visit: woodgraindoors.com

## Quality Craftsmanship Meets Superior Performance

Woodgrain Doors' exquisite collection offers a unique combination of beauty and durability. Built upon our superior, quality craftsmanship, we uphold the industry's highest standard of authentic stile and rail construction. With thousands of door designs, styles and configurations to choose from, you'll find the perfect door to complement your unique style.



## **Woodgrain Door Sizes**

Our Doors and Bifolds Come in a Variety Of Standard Sizes, Ranging From:

- 6'8", 7'0", 7'6" and 8'0" heights
- 0'10" to 6'0" widths
- 1-3/8" and 1-3/4" thicknesses\*

While not all sizes and panel configurations are available in all options, Woodgrain Doors can accommodate many custom orders such as replacing a panel with glass.

## **Dutch Doors & Custom Applications**


As a door slab manufacturer, Woodgrain Doors is able to provide customers the materials they need to let their craftsmanship and creativity thrive. Mount any of our unique door profiles to barn door hardware and create a contemporary and custom feel for less. Remanufacture a number of our profiles, by cutting them down the middle to create a dynamic Dutch door. These are just a few alternative ways to use Woodgrain door slabs.

## **Express Ship Inventory**

We stock many doors in Idaho and Minnesota as part of our express ship program—please refer to our Express Ship brochure or speak to a Woodgrain representative for options.

### Stile & Roil Door Construction

Throughout the catalog all panel profiles available for each door category are shown as an end view of the panel profiles.



## Features & Benefits:

#### Router-Carved Door Benefits



Mode in USA



**Smooth Paintable** Finish



Styles



>800 lb Screw Hold Capacity



Timeless



40% Lighter

#### Stile & Rail Door Benefits



Customizable Options



Dependable Security



Durable for Decades



Engineered Wood Components



Superior Sound Reduction



Sustainablu Made



Styles



USA

## Door Types



#### **Barn Doors**

Woodgrain Doors' new Barn Door Collection is the perfect fit for modern, contemporary, and rustic applications. Built upon our superior quality craftsmanship, each barn door features a 3/4" panel design to highlight the definition and elegance of the v-groove. The mulls in each layout are full thickness and engineered to meet flush with the stiles and rails to provide a unique combination of beauty, strength and durability. Barn Doors allow you the flexibility to enhance an entire room with a unique accent piece, while also adding more functionality to your space. From master suites to pantries, barn doors give you the flexibility to customize your space.



#### **Bifold Doors**

Woodgrain's bifold doors are crafted with state-of-the-art technology to ensure consistent precision assembly. Bifold doors are ideal for smaller spaces, including closets, laundry rooms and any area where space is at a premium. Bifold doors come with all the necessary hardware for installation.



#### Café Doors

Woodgrain's café doors admit light and ventilation, and provide minimal privacy. The café doors come as a pair and swings open - in and out - in both directions for easy flow.



#### **Craftsman Doors**

Make a memorable first impression with a Woodgrain craftsman entry door. The collection of exterior doors is built with unsurpassed craftsmanship and extensive design and glass options offering natural warmth and beauty to your home. All craftsman doors are built with true divided lite construction (TDL) and Low E glass, meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing.



#### **Decorative Glass Doors**

Customize your home with Woodgrain's interior decorative glass doors. Choose from geometric patterns in a variety of styles and finishes.



#### **PRIMED MDF Doors**

The Woodgrain design collection of medium density fiberboard (MDF) includes infinite options including personalized options with our auto-CAD technology. Available in fire-rated options. California 93120 CARB Compliant for Formaldehyde Phase 2 and TSCA Title VI certified or compliant.



#### Flat Panel Doors

Woodgrain offers interior flat panel doors in a variety of wood species. Flat panel doors offer crisp lines and provide a versatile look that complements both modern and traditional interiors. Available in fire rated options.



#### **Dutch Doors**

Woodgrain offers a number of interior and exterior doors in a variety of wood species that can be easily altered to create custom Dutch doors. Dutch doors create a versatile look that combines both modern and traditional interiors.



#### **Louver Doors**

Woodgrain's louver doors provide a beautifully functioning door with a touch of subtle charm between passageways. Each door is designed to provide privacy and ventilation, and ideal for closets and other spaces that require maximum air circulation. Louver doors are a sensible choice for hallways, closets and storage rooms.



#### **Plank Panel Doors**

Woodgrain offers interior and exterior plank panel doors in a variety of wood species. Plank panel doors offer added dimension to complement traditional and contemporary styles.



#### **Raised Panel Doors**

Woodgrain offers interior and exterior raised panel doors in a variety of wood species. Raised panel doors offer added dimension to complement traditional and contemporary styles.



#### Sash Doors

Woodgrain sash doors include an assortment of handcrafted doors to complement any decor. All sash doors are built with true divided lite construction (TDL), meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing. A variety of interior and exterior designs with numerous light and panel configurations available.



#### **Sidelights**

Woodgrain glass doors also include a variety of sidelights to complement any door. Adding sidelights to either or both sides of your door will increase the impact of your door by inviting natural light into the home at entry or patio doorways. Sidelights are available in insulated or single glazed glass.



### **Traditional and Contemporary French Doors**

Woodgrain traditional French doors offer an assortment of handcrafted doors to complement any decor. All French glass doors are built with true divided lite construction (TDL), meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing. A variety of interior and exterior design options are available.



#### **Transoms**

Woodgrain glass doors include a variety of transoms to complement any door. Adding a transom above your door will extend the height of your door and allow natural light into the home at entry or patio doorways. Transoms are available in insulated or single glazed glass.



#### **Utility Doors**

Customize your home with a utility door in Laundry, Pantry or Wine Cellar.



#### **Fire Rated Doors**

Woodgrain doors manufactures 20, 60 and 90 minute fire rated doors in 9 different species. We achieve these ratings by incorporating a special intumescent core into our 1-3/4" thick doors.

## Personalize With Wood Species



#### FIR — Douglas Fir

Douglas Fir is a large, generally vertical-grained tree that grows in abundance in the Pacific Northwest. Douglas Fir is characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



#### KAL — Knotty Alder

Knotty Alder grows in the Pacific Northwest and is a medium density hardwood with an even grain appearance. The wood is normally light brown with hues of red or peach. Its softer nature makes it easy to machine and receptive to a variety of stains and finishes.



#### **KPN** — Knotty Pine

Knotty Pine is abundant in America. The wood has a rich display of knots that reflects the randomness and beauty of nature. The wood tends to be a honey-toned or straw color while the knots are generally reddish-brown.



#### MHG — Mahogany

Mahogany is characterized by its natural strength, proven durability and a rich red color. Its straight grain is usually free of voids and pockets, making it a premium hardwood known for use in high-end furniture making. Khaya Mahogany is the Woodgrain standard MHG door: range and mix of colors in door parts and components from light blonde to dark brown.



#### MPL — Maple

Maple grows in the Eastern United States, offers a very fine grain and a white-ish color tinged with reddish brown.

\*Available in select models from Express Ship Inventory in Minnesota



#### OAK — Northern Red Oak

Hard and heavy, Oak grows mainly in the North Central United States. With a coarse texture and a straight, prominent grain, oak accepts a broad range of stains and finishes.



#### **PON** — Ponderosa Pine

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



#### POP — Poplar

Poplar grows in the Eastern United States. Colors of Poplar vary from brown to pale yellow to olive green. Over time, the green color will darken with exposure to sunlight and may turn brown. Poplar is a medium density hardwood, generally straightgrained with a fine, even texture.



#### **PRM** — Primed

Woodgrain's multiple door configurations have a primed option to allow for a better paint finish and color match process for any project. Interior applications are produced with MDF veneer and panels for superior paintability. MDF Design Collection Router Carved doors are also available.




#### RAD — Radiata Pine

Radiata Pine is a plantation-grown wood from Chile, New Zealand and Australia. It has a distinctive grain pattern with a pale cream color. Radiata tends to be harder than other pine species and has fewer knots.

## Personalize With Door Glass

Woodgrain Doors offers 24 glass options to further customize your door. Choose from either a Clear Single Glazed or Insulated Low E glass types. Clear Single Glazed is a single piece of tempered glass whereas Low E Insulated is coated and insulated, which allows it to reflect radiant heat, making it a more energy efficient option.



Not all glass options are available in all styles or species. \*Certain glass patterns may look slightly different in large pane layouts. Our glass meets the following standards: ANSI Z97.1 and 16CFR 1201 C II.

## **Privacy:**




This indicates the amount of privacy that each glass profile allows through it 1 being little privacy and 10 being full privacy.

## Light:




This indicates the amount of light that each glass profile allows through it 1 being lots of light and 10 being no light.







## Interior Doors

Beauty. Strength. Durability.








At Woodgrain, interior stile and rail and Router carved construction doors are our specialty. With thousands of door designs, styles and configurations to choose from, you'll find the perfect door to complement your individual look. We have both an EXPRESS SHIP on hand inventory and the ability to make custom doors in a wide range of sizes and widths. When it comes to selection, quality and delivery time, you can count on us to exceed expectations.


## Raised Panel Doors

## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch and Eyebrow Tops
- 20, 60, 90-minute fire rated available (available on 1-3/4" only)

#### **Panel Profiles**







20 PON, RAD, KPN, PRM1, KAL, FIR, MHG



100 PON, RAD, KPN, PRM1, OAK, POP,



102 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



103 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



103T PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



106 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG,  $\mathsf{MPL}^2$ 



107 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



108 PON, RAD, KPN, PRM1,OAK, POP, KAL, FIR, MHG,  $\mathsf{MPL}^2$ 



109 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



110 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



112 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL, FIR, MHG



117 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL, FIR, MHG



129 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL, FIR, MHG



131 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL, FIR, MHG



133 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



141 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



149 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



158 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



802 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG, MPL<sup>2</sup>



803 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



804 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



806 PON, RAD, KPN, PRM<sup>1</sup>



820 PON, RAD, KPN, PRM1, KAL, FIR, MHG



822 PON, RAD, KPN, PRM<sup>1</sup>



831 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



833 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL, FIR, MHG



842 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL, FIR, MHG



849 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG

 $<sup>^{\</sup>rm 1}\,{\rm Species}$  is manufactured with MDF skins and panels.


<sup>&</sup>lt;sup>2</sup> Species is only available from Express Ship Inventory in Minnesota.

## Flat Panel Doors

- Specifications6'8", 7'0", 7'6" and 8'0" heights1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- 3/8" panel; \*5/8" panel available on 1-3/4" doors
- 20, 60, 90-minute fire rated available (available on 1-3/4" only)
- Wood stile and rail components with MDF veneers and panels for superior quality painted finish

## **Panel Options**






#### Shaker (4000 Series)

PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG

#### Nantucket (FP Series)

PON, RAD, KPN, PRM, OAK, POP, FIR, MHG



















**20 FP** 4020 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG

102 FP 4102 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL2, FIR, MHG,  $MPL^{2,3}$ 

103 FP 4103 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP,

KAL<sup>2</sup>, FIR, MHG

4103T PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL2, FIR, MHG, MPL<sup>2,3</sup>

**103T FP** 

106 FP 4106 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL<sup>2</sup>, FIR, MHG,  $MPL^3$ 

4107 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL<sup>2</sup>, FIR, MHG

**107 FP** 

4108 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL2, FIR, MHG,  $MPL^3$ 

108 FP



4109 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG



4112 PON, RAD, KPN, PRM1, OAK, POP, KAL2, FIR, MHG



4129 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG



4131 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG



4133 PON, RAD, KPN, PRM1, OAK, POP, KAL2, FIR, MHG



4141 PON, RAD, KPN, PRM1, OAK, POP, KAL2, FIR, MHG



4158 PON, RAD, KPN, PRM1, OAK, POP, KAL2, FIR, MHG



4802 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG



4803 PON, RAD, KPN, PRM1, OAK, POP. KAL<sup>2</sup>, FIR, MHG



4831 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG



4833 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG

### Dry Erase, Mirror, and **Magnetic Chalkboard**

Woodgrain Doors offers Dry Erase Whiteboard and Magnetic Chalkboard in the designs below:



20 FP 4020



20 FP 4020



20 FP 4020

<sup>&</sup>lt;sup>1</sup>Species is manufactured with MDF skins and panels.

<sup>&</sup>lt;sup>2</sup> Species only available in Shaker Sticking (4000 Series).

<sup>&</sup>lt;sup>3</sup> Species is only available from Express Ship Inventory in Minnesota.

## **Plank Panel Doors**

## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square and Arch Tops
- Taper Block Sticking
- 20, 60, 90-minute fire rated available (available on 1-3/4" only)



**20 PLK** KAL



**102 PLK** PON, KPN, PRM<sup>1</sup>, KAL




**802 PLK** PON, KPN, PRM<sup>1</sup>, KAL




820 PLK KAL

### **Panel profiles**




<sup>1</sup> Species is Primed Pine unless otherwise noted.



## **Decorative Glass & Utility**

### **Specifications**

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Clear V-Groove Single Glazed Glass
- Frosted Silk Screen Glass



670 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



672 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG

#### 8'0" Door



All Decorative Glass Doors are available in 8'0" with wood panel options in all species.

#### \*Not all sizes are available in all options.



650 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG

#### 8'0" Door



All Utility Doors are available in 8'0" with wood panel options in all species.



650 Laundry



652 Pantry



653 Wine Cellar

## **Barn Doors**

## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 2'0" to 4'0" widths
- 1-3/8" and 1-3/4" thicknesses

### **Available Mounting Hardware**

- 72", 84", and 96" tracks
- Rated up to 200 lbs.
- Handle options and connector piece available

#### Top Mount



Shown in Black Finish

#### **Hanging Mount**



Shown in Black Finish



Both mounts also available in Nickel Finish

### **Panel Options**




3/4" PLK PON, RAD, KPN, PRM, KAL, FIR



Shaker (4000 Series) PON, RAD, KPN, PRM, KAL, FIR









\*Note: Any Woodgrain door can be used in barn door or "rolling door" application

#### **Plank Panel**



180 PON, RAD, KPN, PRM, KAL, FIR



181 PON, RAD, KPN, PRM, KAL, FIR



182 PON, RAD, KPN, PRM, KAL, FIR



183 PON, RAD, KPN, PRM, KAL, FIR



184 PON, RAD, KPN, PRM, KAL, FIR



185 PON, RAD, KPN, PRM, KAL, FIR



186 PON, RAD, KPN, PRM, KAL, FIR

#### **Shaker Panel**



4180 PON, RAD, KPN, PRM, KAL, FIR



4181 PON, RAD, KPN, PRM, KAL, FIR



4182 PON, RAD, KPN, PRM, KAL, FIR



4183 PON, RAD, KPN, PRM, KAL, FIR



4184 PON, RAD, KPN, PRM, KAL, FIR



4185 PON, RAD, KPN, PRM, KAL, FIR



4186 PON, RAD, KPN, PRM, KAL, FIR

## **Glass Options**



**380 TOP** PON, RAD, KPN, PRM, KAL, FIR



**380 BTM** PON, RAD, KPN, PRM, KAL, FIR



**381 MID** PON, RAD, KPN, PRM, KAL, FIR



**381 OUT** PON, RAD, KPN, PRM, KAL, FIR



4380 PON, RAD, KPN, PRM, KAL, FIR




4381 PON, RAD, KPN, PRM, KAL, FIR

## **Louver & Cafe Doors**

### **Specifications**

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- "W" models available with 11" bottom rail for ADA compliance

## **Panel Options**



### **Standard Louver**



730 PON, RAD, PRM<sup>1</sup>, OAK, POP, FIR



732 PON, RAD, PRM<sup>1</sup>, OAK, POP, FIR




733 PON, RAD, PRM<sup>1</sup>,



742 PON, RAD, PRM<sup>1</sup>, OAK, POP, FIR



**782** PON, RAD, PRM<sup>1</sup>, OAK, POP, FIR



1-3/16" Standard Louver

#### **False Louver**



F 730 PON, RAD, PRM<sup>1</sup>



F 732 PON, RAD, PRM<sup>1</sup>



F 742 PON, RAD, PRM<sup>1</sup>



F 782 PON, RAD, PRM<sup>1</sup>



 $<sup>^{\</sup>rm 1}\,{\rm Species}$  is manufactured with MDF skins and panels.

#### Café Louver



733 Café RAD

## Specifications3'3" height2'0" to 3'0" widths

- 1-1/8" thickness

## **Plantation Louver**



P 730 RAD, PRM<sup>1</sup>, OAK, POP, FIR



P 732 RAD, PRM<sup>1</sup>, OAK, POP, FIR



P 742 PON, RAD, PRM<sup>1</sup>, OAK, POP, FIR



P 782 PON, KPN, RAD, PRM<sup>1</sup>, OAK, POP,



2-1/4" **Plantation** Louver





#### **Plantation False Louver**



**PF 730** PON, RAD, PRM1



**PF 732** PON, RAD, PRM1



**PF 733** PON, RAD, PRM1



**PF 742** PON, RAD, PRM1



**PF 782** PON, RAD, PRM<sup>1</sup>



## **Bifold Doors**

## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 2'0" to 6'0" widths
- 1-3/8" thicknesses
- Square and Arch Tops

Premium: 1-3/8" thickness;

2-1/4" stiles with full scale rails

### **PREMIUM Panel Options**

#### 9/16" RP

PON, RAD, KPN, PRM

#### 3/8" Flat

PON, RAD, OAK, POP, KAL, FIR, MHG

#### 9/16" DBH

PON, RAD, KPN, PRM









3/4" PLK





PON, RAD, KPN



KAL

1-3/16" VIP PLK PON, RAD, KPN, FIR, MHG







3/4" Scoop BP OAK, POP

3/4" DBH KAL, FIR, MHG

1-3/16" VIP PON, RAD, KPN, FIR, MHG







11/16" SF BVG PON, RAD, KPN

3/4" BVG KAL

1-3/16" VIP BVG

PON, RAD, KPN, FIR, MHG







#### **PREMIUM SERIES**

#### **Raised Panel**



100 PON, RAD, KPN, PRM<sup>1</sup>



103 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



106 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG,  $\mathsf{MPL}^3$ 



107 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG

#### Louver



730 PON, RAD, PRM1, OAK, POP



732 PON, RAD, PRM<sup>1</sup>, OAK, POP



733 PON, RAD, PRM<sup>1</sup>



108 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG,  $\mathsf{MPL}^3$ 



109 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



802 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG,  $\mathsf{MPL}^3$ 



822 PON, RAD, KPN, PRM<sup>1</sup>



P 730\* RAD, PRM1, OAK, POP





P 732\* RAD, PRM1, OAK, POP



P 733\* RAD, PRM1, OAK, POP

#### **Plank Panel**



106 PON, KPN, KAL



802 PON, KPN, KAL

#### Flat Panel



**20 FP** 4020 PON, RAD, KPN, PRM1, OAK, POP,

KAL<sup>2</sup>, FIR, MHG



103 FP 4103 PON, RAD, KPN, PRM1, OAK2, POP,

KAL<sup>2</sup>, FIR, MHG



**103T FP** 4103T PON, RAD, KPN, PRM1, OAK2, POP2, FIR, MHG, MPL<sup>3</sup>



106 FP 4106 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG, MPL<sup>3</sup>



**107 FP** 4107 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG

<sup>&</sup>lt;sup>1</sup> Species is manufactured with MDF skins and panels.

<sup>&</sup>lt;sup>2</sup> Species only available in Shaker (400 Series).


<sup>&</sup>lt;sup>3</sup> Species is only available from Express Ship Inventory in Minnesota.

## French Doors

### **Specifications**


- 6'8", 7'0" and 8'0" heights
- 1'6" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch and Eyebrow Tops
- Single Glazed Glass
- See page 14 and 15 for Glass Options

### **Sticking Options**



Shaker (4000 Series) AVAILABLE IN ALL

WOOD SPECIES



Ovolo / 600 Series AVAILABLE IN ALL **WOOD SPECIES** 



4517 PON, RAD, KPN, PRM, OAK, POP. KAL, FIR, MHG



**Contemporary** 

4517A PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



603 / 4603 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



603W/ 4603W PON, RAD, KPN, PRM, OAK, POP,

KAL, FIR, MHG



604 / 4604 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



604W/ 4604W PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



605 / 4605 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



605W/ 4605W PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



606W /4606W PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



607W/ 4607W PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



608 / 4608 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



609 / 4609 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



610 / 4610 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



620 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



622 PON, RAD, KPN, PRM. OAK. POP. KAL, FIR, MHG


#### **Traditional**



624 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG




625 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG,  $\mathsf{MPL}^2$ 



626 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



627 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG,  $\mathsf{MPL}^2$ 



628 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG





630 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



633 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



634 PON, RAD, KPN, PRM, OAK, POP



636 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



690 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



691 PON, RAD, KPN, PRM, OAK, POP, FIR, MHG



692 PON, RAD, KPN, PRM, OAK, POP, FIR, MHG



PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



825 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



827 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



836 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



840 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



845 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



846 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



847 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



848 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG

<sup>&</sup>lt;sup>1</sup>Species only available in 1-3/8" thickness.

<sup>&</sup>lt;sup>2</sup> Species is only available from Express Ship Inventory in Minnesota.

## Sash Doors

### **Panel Options**







**3/4" DBH PLK** FIR, MHG



PON, RAD, KPN, FIR, MHG



PON, RAD, KPN, FIR, MHG



3/4" DBH BVG

FIR, MHG

3/4" Scoop BP OAK, POP



FIR, MHG, KAL







PRM



511 PON, RAD, KPN, PRM, OAK, POP, KAL



512 PON, RAD, KPN, PRM, OAK, POP, KAL



513 PON, RAD, KPN, PRM, OAK, POP, KAL



**514** PON, RAD, KPN, PRM, OAK, POP, KAL



**515** PON, RAD, KPN, PRM, OAK, POP, KAL



**516** PON, RAD, KPN, PRM, OAK, POP, KAL



**518** PON, RAD, KPN, PRM, OAK, POP, KAL



**519** PON, RAD, KPN, PRM, OAK, POP, KAL



551 PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



**558** PON, RAD, KPN, PRM, FIR, MHG



559 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



560 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



561 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



562 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



563 PON, RAD, KPN, PRM1, FIR, MHG



564 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



567 PON, RAD, KPN, PRM1, FIR, MHG

## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch and Eyebrow Tops
- Single Glazed Glass



**570** PON, RAD, KPN, PRM¹, FIR, MHG



**571**PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



**572**PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



**573** PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



**574**PON, RAD, KPN,
PRM<sup>1</sup>, FIR, MHG



**581**PON, RAD, KPN,
PRM¹, FIR, MHG



**811**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL



**812**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL



813 PON, RAD, KPN, PRM¹, OAK, POP, KAL



**814**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL



**816**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL



818 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL



**819**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL



**844**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL



**851**PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



**859**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL, FIR, MHG



**860**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL, **FIR**, MHG



**861**PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



**862**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL, FIR, MHG



**863**PON, RAD, KPN,
PRM<sup>1</sup>, OAK, POP,
KAL, FIR, MHG



**864**PON, RAD, KPN,
PRM<sup>1</sup>, **OAK**, POP,
KAL, FIR, MHG

## **MDF Router Carved Doors**

#### **Premium Router Carved MDF** Doors

Woodgrain's Design Collection MDF Doors are made of medium density fiberboard (MDF) and include both 1-3/8" and 1-3/4" doors available in panel, bifold and firerated doors. Design Collection MDF doors offer infinite design options by combining cutting edge technology and quality craftsmanship. Not simply an MDF producer, Woodgrain uses its well-honed techniques from decades of wood door manufacturing to build a better door.

#### Design Collection MDF doors offer:

- Exceptionally smooth surface for excellent paint adhesion
- Unlimited design options, including most graphics and text
- Resists shrinkage, expansion or warping
- Environmentally friendly
- SureEdge design

#### Design Collection MDF doors with expanded polystyrene (EPS) core offer several advantages:

- 40% lighter than the standard 2'6" x 6'8" MDF door
- Easier to handle and hang
- Exerts less stress on the hinges
- Improve sound transmission properties
- Bifold doors available



20, 60, 90-minute fire rated available.








### **Profile and Panel Options**

Mix and match any of our five profile options or two raised moulding options.





## **Raised Moulding**



SureEdge


Standard MDF Door






## The SureEdge Advantage:

SureEdge solid wood edge band is a feature in each MDF door. Installed in each stile the SureEdge system allows maximum screw holding power and ease of hinge mortising.







SureEdge

Precision Routing Technology provides crisp lines

## **MDF Router Carved Doors**

## **Specifications**

- 6'8", 7'0", 7'6" and 8'0" heights
- 1'6" to 4'0" widths

- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)



PRM



5013 PRM



5014 PRM



5015 PRM



5016 PRM



5019 PRM



5020 PRM



5021 PRM



5022 PRM



PRM



**5103** PRM



5105 PRM



5106 PRM



5107 PRM



5108 PRM



5109 PRM



5114 PRM



5115 PRM




5117 PRM




5118 PRM



5121 PRM







5146 PRM



PRM

5147



PRM







PRM



PRM

## **MDF Router Carved Doors**


## **Specifications**

- 6'8", 7'0", 7'6" and 8'0" heights
- 1'6" to 4'0" widths

- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)









PRM

PRM

PRM

PRM

PRM

PRM

PRM

## **MDF Router Carved Doors**

## **Specifications**

- 6'8", 7'0", 7'6" and 8'0" heights1'6" to 4'0" widths

- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)



5770 PRM



5772 PRM



PRM



5774 PRM



5775 PRM



PRM



5777 PRM



5778 PRM



5802 PRM



5803 PRM



5806 PRM



5808 PRM



PRM



5818 PRM



5819 PRM



5820 PRM



5821 PRM



5822 PRM



5823 PRM



5824 PRM



5825 PRM



5826 PRM



5828 PRM



5829 PRM



5830 PRM



5831 PRM



5832 PRM



5833 PRM



5834 PRM



5835 PRM



5838 PRM



5839 PRM



5840 PRM



5843 PRM



5847 PRM



5848 PRM



5849 PRM



5851 PRM



5852 PRM



5853 PRM



5854 PRM



5855 PRM



5867 PRM



5868 PRM



5870 PRM



5872 PRM



5873 PRM



5874 PRM



5875 PRM

# **MDF Router Carved Doors**

# **Specifications**

- 6'8", 7'0", 7'6" and 8'0" heights1'6" to 4'0" widths

- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)



5876 PRM



5877 PRM



5878 PRM



5879 PRM



5920 PRM



5180 PRM



5181 PRM



5182 PRM



**5183** PRM



5184 PRM



5185 PRM



5186 PRM





# Contemporary & Modern MDF Router Carved Doors

## **Specifications**

- 6'8", 7'0", 7'6" and 8'0" heights
- 1'6" to 4'0" widths

- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)









5278 PRM

# Interior/Exterior

# **Dutch Doors**

#### The Process

Our Dutch Door collections pays homage to the novel and practical split Dutch door style. The Dutch door designs allow the user to open the top of the door to allow light, air and the outside elements fill a room without having to open the entire door. The bottom half of the door can stay closed to allow privacy and prevent ground, dust, and dirt to enter your home. Along with being super practical, the architectural design is elegant and completes the look of any room.

We offer a large selection of Dutch door styles that are designed and manufactured to be cut in half. All Woodgrain doors are shipped as a full slab, however, we do not ship the door pre-cut. The door shop or door hanger would make the needed cuts to finish the Dutch door functionality. There are a number of different cuts that would achieve the look each individual can determine what works best for their needs.



anel Profiles	615
	851
00	859
02 06	860
08	862
10	863
29	864
02	4551
04	4851
06	6551
22	6559
42	6560
102	6561
106	6562
108	6563
129	6564
802	6581
	6596
	6598 6612
	6615
Sash profiles	6851
551	6859
559	6860
560	6861
561	6862
562	6863
563	6864
564	
581	
596	
598	
512	

## **Select Panel Options**



100 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP



102 PON, RAD, KPN, PRM<sup>1</sup>, OAK, POP, KAL, FIR, MHG



110 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



129 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



822 PON, RAD, KPN, OAK, PRM<sup>1</sup>



842 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



4129 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG

# **Select Sash Options**



551/6551 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG




559 / 6559 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR,



561/6561 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



562 / 6562 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



563 / 6563 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



581/6581 PON, RAD, KPN, PRM1 FIR, MHG,



612 PON, RAD, KPO, FIR, MHG, PRM



862 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



863 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



864 PON, RAD, KPN, PRM1, OAK, POP, KAL, FIR, MHG



861/6861 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



598 / 6598 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



6612 PON, RAD, KPN, PRM, FIR, MHG



6864 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG




# Exterior Doors

Beauty. Strength. Durability.








Woodgrain offers a wide array of custom exterior door products that are both on trend and cost-effective. Hundreds of exterior wood door styles are available with 9 wood species to choose from and an additional 24 glass options you are certain to get exactly what you want. Designs are offered in contemporary, craftsman, colonial and many more styles. Woodgrain exterior doors are made specifically for you to compliment the look of any home and is sure to increase curb appeal.


# Raised Panel Doors

## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thickness
- Square, Arch and Eyebrow Tops
- 20, 60, 90-minute fire rated available

## **Panel Options**







20 PON, RAD, KPN, PRM1, KAL, FIR, MHG



100 PON, RAD, KPN, PRM<sup>1</sup>



102 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



103 PON, RAD, KPN, PRM1, KAL, FIR, MHG



106 PON, RAD, KPN, PRM1, FIR, MHG



107 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



108 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



109 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



113 PON, RAD, KPN, PRM<sup>1</sup>, FIR



131 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



133 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



802 PON, RAD, KPN, PRM<sup>1</sup>, **KAL**, FIR, MHG



804 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



806 PON, RAD, KPN, PRM<sup>1</sup>



820 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



822 PON, RAD, KPN, MHG, PRM<sup>1</sup>



831 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG




833 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG

<sup>&</sup>lt;sup>1</sup>Species is primed pine unless otherwise noted.

# Glass & TDL Doors

# **Specifications**

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thicknesses
- Square and Arch Tops
- Single Glazed and Insulated Low E Glass





603 / 6603 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



604 / 6604 PON, RAD, KPN, PRM1, KAL, FIR, MHG



605 / 6605 PON, RAD, KPN, PRM1, KAL2, FIR, MHG



620 / 6620 PON, RAD, KPN, PRM1, OAK, POP, KAL<sup>2</sup>, FIR, MHG



624 / 6624 PON, RAD, KPN, PRM1, KAL, FIR, MHG



625 / 6625 PON, RAD, KPN, PRM1, KAL, FIR, MHG



626 / 6626 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG




627 / 6627 PON, RAD, KPN, PRM1, KAL, FIR, MHG



628 / 6628 PON, RAD, KPN, PRM1, KAL, FIR, MHG



630 / 6630 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



636 / 6636 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



668 / 6668 RAD, FIR, MHG



690 / 6690 PON, RAD, KPN, PRM1, KAL, FIR, MHG



824 / 6824 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



836 / 6836 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



840 / 6840 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



845 / 6845 PON, RAD, KPN, PRM1, KAL, FIR, MHG



846 / 6846 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



847 / 6847 PON, RAD, KPN, PRM1, KAL, FIR, MHG



848 /6848 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG

<sup>&</sup>lt;sup>1</sup> Species is primed pine unless otherwise noted.

# Sash Doors

## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thickness
- Square, Arch and Eyebrow Tops
- Single Glazed and Insulated Low E Glass
- KAL raised panel doors have tapered block sticking

# **Panel Options**



9/16" RP

PON, RAD, KPN, PRM



1-3/16" VIP

PON, RAD, KPN, FIR, MHG



**3/4" DBH PLK** 

FIR, MHG



1-3/16" VIP PLK

PON, RAD, KPN, PRM, FIR, MHG



1-3/8" SRR KAL



1-3/8" SRD KAL



**6000 SERIES** 

PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



9/16" DBH

PON, RAD, KPN, PRM



3/4" DBH

FIR, MHG



**3/4" DBH BVG** 

FIR, MHG



1-3/16" VIP BVG

PON, RAD, KPN, PRM, FIR, MHG



#### **SHAKER** (4000 SERIES)

PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



1-3/8" SRP

KAL



#### **NANTUCKET (6000 FP SERIES)**

PON, RAD, KPN, PRM, OAK, POP, FIR, MHG



512/6512 PON, RAD, KPN,

PRM<sup>1</sup>, KAL, FIR, MHG



513 / 6513 PON, RAD, KPN, PRM<sup>1</sup>, **KAL**, FIR, MHG



514/6514

PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



515 / 6515 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR,

MHG



516 / 6516 PON, RAD, KPN, PRM1, KAL, FIR, MHG



518 / 6518 PON, RAD, KPN, PRM1, KAL, FIR, MHG

<sup>&</sup>lt;sup>1</sup> Species is primed pine unless otherwise noted.

<sup>&</sup>lt;sup>1</sup>Species is primed pine unless otherwise noted.



547 / 6547 RAD, FIR, MHG



548 / 6548 RAD, FIR, MHG



549 / 6549 RAD, FIR, MHG



551/6551 PON, RAD, KPN, PRM<sup>1</sup>, **KAL**, FIR, MHG



558 / 6558 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



559 / 6559 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



561/6561 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



562 / 6562 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



563 / 6563 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



567 / 6567 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



568 / 6568 RAD, FIR, MHG



4517 RAD, FIR, MHG



4517A RAD, FIR, MHG



4568 RAD, FIR, MHG



569 / 6569 RAD, FIR, MHG



570 / 6570 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



571/6571 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



572 / 6572 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



573 / 6573 PON, RAD, KPN, PRM1, FIR, MHG, KAL,



581/6581 PON, RAD, KPN, PRM1 FIR, MHG, KAL



596 / 6596 PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



**598 / 6598**PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



**600 / 6600** PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



**612 / 6612**PON, RAD, KPN, PRM<sup>1</sup>, FIR, MHG



**615 / 6615**PON, RAD, PRM<sup>1</sup>, FIR, MHG



**812 / 6812**PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



**813 / 6813**PON, RAD, KPN,
PRM<sup>1</sup>, KAL, FIR,
MHG



**814 / 6814**PON, RAD, KPN,
PRM<sup>1</sup>, KAL, FIR,
MHG



**816 / 6816**PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



**818 / 6818**PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



**844 / 6844**PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



**851 / 6851**PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



**859 / 6859**PON, RAD, **KPN**,
PRM¹, KAL, FIR,
MHG



**861 / 6861** PON, RAD, KPN, PRM¹, KAL, FIR, MHG



**862 / 6862**PON, RAD, KPN,
PRM<sup>1</sup>, KAL, FIR,
MHG



2045 / 6045 FIR, MHG

# **Plank Panel Doors**


## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thicknesses

- Square and Arch Tops
- Fire Rated Available

# **Panel Options**









20 PON, RAD, KPN, PRM<sup>1</sup>, **KAL**, FIR, MHG



102 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG




802 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG



820 PON, RAD, KPN, PRM<sup>1</sup>, KAL, FIR, MHG

<sup>&</sup>lt;sup>1</sup>Species is primed pine unless otherwise noted.



# Craftsman Doors

## **Specifications**

- 6'8", 7'0" & 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thickness
- Square and Arch Tops
- All 8/0 doors will have additional glass rows. (6/8 configuration avail-
- able in 8/0 as custom)
- Raised Panel
- Flat Panel
- Insulated Low E Glass
- KAL raised panel doors have tapered block sticking

## **Dentil Shelf option**



KAL, FIR, MHG

\* MDO exterior rated core

## **Exterior Panel Options**



FIR, MHG

**3/4" DBH BVG** FIR. MHG





1-3/16" VIP BVG FIR, MHG



**SHAKER** (4000 Series)\* FIR, KAL, MHG






**3/4" DBH PLK** FIR. MHG





1 3/8" SRR KAL



**6000 SERIES** PON, RAD, KPN, PRM, KAL, FIR, MHG



1 3/8" SRD PLK KAL



**NANTUCKET** (6000 FP SERIES)\*

FIR, KAL, MHG



1-3/16" VIP PLK FIR, MHG



6526/ 4526 KAL, FIR, MHG



6529/ 4529 KAL, FIR, MHG



6532/ 4532 KAL, FIR, MHG



6534/ 4534 KAL, FIR, MHG



6535/ 4535 FIR, MHG



6537/ 4537 FIR, MHG



6538/ 4538 KAL, FIR, MHG



6539/ 4539 FIR. MHG



6550/ 4550 KAL, FIR, MHG



6552/ 4552 KAL, FIR, MHG



6553/ 4553 FIR, MHG



6554/ 4554 KAL, FIR, MHG



6555/ 4555 FIR, MHG



6556/ 4556 FIR, MHG



6557/ 4557 KAL, FIR, MHG



6826/ 4826 KAL, FIR, MHG



6829/ 4829 KAL, FIR, MHG



6832/ 4832 KAL, FIR, MHG



6834/ 4834 KAL, FIR, MHG



6835/ 4835 FIR, MHG



6837/ 4837 FIR, MHG



6838/ 4838 KAL, FIR, MHG



6839/ 4839 FIR, MHG



6539/ 4539 FIR, MHG



6850/ 4850 KAL, FIR, MHG



6852/ 4852 KAL, FIR, MHG



6853/ 4853 FIR, MHG



6854/ 4854 KAL, FIR, MHG



6855/ 4855 KAL, FIR, MHG



6856/ 4856 KAL, FIR, MHG




6857/ 4857 KAL, FIR, MHG


# **Door Sidelite**

## **Specifications**

- 6'8", 7'0" and 8'0" heights
- 0'10" to 1'6" widths
- 1-3/8" and 1-3/4" thicknesses
- Square and Arch Tops
- Single Glazed and Insulated Low E Glass

# **Panel Options**





### **Profiles**









1701/ 6701 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>

1702/ 6702 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR,

1703/ 6703 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>









6704 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>

1705/ 6705 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR,

MHG<sup>1</sup>

1706/ 6706 PON, RAD, KPN, PRM2, KAL1, FIR, MHG<sup>1</sup>



1707/ 6707 PON, RAD, KPN, PRM2, KAL1, FIR, MHG<sup>1</sup>



6708 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



1709/ 6709 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



6710 PON, RAD, KPN, PRM2, KAL1, FIR,  $\mathsf{MHG}^1$ 

1710/



1712/ 6711 6712 PON, RAD, KPN, PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup> MHG<sup>1</sup>



1713 / 6713 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG1



1714/ 6714 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



6801 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



1802/ 6802 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



1803/ 6803 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



6804 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>

1804/



1805/ 6805 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



6806 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>

1806/



1807/ 6807 PON, RAD, KPN, PRM2, KAL1, FIR,

MHG<sup>1</sup>



1808/ 6808 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR,



1810/ 6810 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



1849/ 6849 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR,

MHG<sup>1</sup>



1868/ 6868 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



1869/ 6869 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



1892/ 6892 PON, RAD, KPN, PRM<sup>2</sup>, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>


MHG<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> Species only available in 1-3/4" thickness.

<sup>&</sup>lt;sup>2</sup> Species is primed pine unless otherwise noted. Not all sizes are available in all options.

# **Door Transoms**

- **Specifications** 1-3/8" and 1-3/4" thicknesses
- Custom width and height configurations
- Single Glazed and Insulated Low E Glass





#### 1 Lite

PON, RAD, KPN, PRM, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



#### 2 Lite

PON, RAD, KPN, PRM, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



PON, RAD, KPN, PRM, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



#### 4 Lite

PON, RAD, KPN, PRM, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



#### 5 Lite

PON, RAD, KPN, PRM, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



#### 6 Lite

PON, RAD, KPN, PRM, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



#### 7 Lite

PON, RAD, KPN, **PRM**, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



#### 8 Lite

PON, RAD, KPN, PRM, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



#### 9 Lite

PON, RAD, KPN, PRM, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>



#### 10 Lite

PON, RAD, KPN, **PRM**, KAL<sup>1</sup>, FIR, MHG<sup>1</sup>

<sup>1</sup>Species only available in 1-3/4" thickness.



# Finishing

## **Preparation for Finishing**

- When staining, a wood conditioner or sander/sealer should be used to help achieve a more uniform finish. (Be sure to follow the wood conditioner manufacturer's instructions closely.)
- Fir doors should be surface treated with acetone product in advance of wood conditioner.
- Before applying the first coat of finish, thoroughly sand the entire surface of the door with 180 grit sandpaper. This crucial step helps remove handling marks, fingerprints, fiber pop, natural grain raise, possible water or liquid marks (if exposed during shipping or while on the job-site during the construction phase) and evenly prepares open wood pores to help produce a more uniform finish.
- Panels and bars float and may become out of alignment during shipping and handling. Carefully take a block of wood and mallet and tap the components in alignment. Use caution not to damage the door or component during this process.
- Clean door thoroughly with a cloth after sanding to remove all dust or foreign material. Avoid using compressed air to blow off door as moisture or oil in the air may cause spotting. Avoid using caustic or abrasive cleaners.
- Hang door before finishing it, then remove it to finish properly. Doors stored in stable climate controlled area and should be finished within 72 hours on home site

## **Exterior Finishing**

#### Stain-and-Clear Finish

When staining, a wood conditioner should be used to help achieve a more uniform finish. (Be sure to follow wood conditioner manufacturer's instructions closely.) The first coat of stain may be a stain-and-sealer, a combination of stain and sealer which colors the door and seals the surface. It is available in a wide range of colors. (Dark color finishes should not be used on doors exposed to prolonged direct sunlight, as some expansion and contraction of door parts may occur. See warranty for detail.) The stain-and-sealer should have an alkyd-resin base. Under no circumstances should a lacquer-based toner or any other lacquer-based finish be used on exterior doors. The second and third coat (two top coats minimum) may be a solvent-borne (oil-base, alkyd resin-base, polyurethane resin-base) or a water-borne (latex resin-base) clear finish. On doors that are glazed, the finish used should be flowed from the wood slightly onto the glass. This will provide assurance against water leakage and protect the glazing compound from drying out.

All stain-and-clear finishes will perform better if protected from the direct effects of sunlight and weathering, and refinishing will not be required as frequently. In areas of high exposure of sunlight and weather a marine grade top coat is recommended.

## **Interior Finishing**

#### Stain-and-Clear Finish

When staining, a wood conditioner should be used to help achieve a more uniform finish. (Be sure to follow wood conditioner manufacturer's instructions closely.) A solvent-borne finish system is recommended for interior doors and may be a lacquer-based system. For best performance, a minimum of two clear top coats should be used over stains. All six sides of the door must be properly sealed for warranty to apply. Woodgrain Doors have plastic film protection on the glass, removal of plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

#### **Painted Finish**

Apply 2-3 coats of either oil-base or latex resin-base paints over 1-2 coats of an oil-base primer. PRM with MDF veneer & panels or MDF router carved recommend for ANY painted door application. (Latex or water base primer may contribute to raised grain and require extra sanding to achieve a smooth finish.) All finishes should be applied in accordance with the manufacturer's instructions. All six sides of the door must be properly sealed for warranty to apply.

#### Caution

Woodgrain Doors cannot evaluate all the available paints and stains, nor customers' specific application requirements.

Your paint dealer should know of suitable finish systems that give satisfactory results in your region. It is highly recommended that top quality finishes be selected, and the application instructions on the container be followed explicitly.

Please do not use metal objects, (razor blades etc.) To remove caulking compound or paint and varnish residue. It is known to scratch the tempered glass. Please do not use compressed air to blow off wood doors, as condensation in the air lines may cause irregular finishing results.

## **Woodgrain Doors with Glass**

Plastic film protection on the glass should be removed immediately after applying the finish. Failure to remove the plastic film at this time may cause harm to the glass and may create difficulty in removing the film. Use caution to avoid scratching the glass while cleaning it. Glass that is scratched due to cleaning is not covered by the warranty. Film should be removed by scoring edges carefully under sticking or profile edge and peeled off by hand. Doors with multiple panes of glass scratched not result of manufacturer defect. SOP instructions for film removal available on request.

## **Glass Cleaning & Care Guidelines**

#### DO:

- Clean glass when dirt and residue appear
- Exercise special care when cleaning coated glass surfaces
- Avoid cleaning tinted and coated glass surfaces in direct sunlight
- Start cleaning at the upper level of glass and continue to lower levels
- Soak the glass surface with clean water and soap solution to loosen dirt and debris
- Use a mild, non-abrasive commercial window cleaning solution
- Use a squeegee to remove all of the cleaning solution
- Dry all cleaning solution from window gaskets, sealants and frame
- Be aware of and follow the glass supplier's specific cleaning recommendations
- Prevent conditions that can damage the glass

#### DON'T:

- Don't use scrapers of any size or type for cleaning glass
- Don't allow dirt and residue to remain on glass for an extended period of time
- Don't begin cleaning glass without knowing if a coated surface is exposed
- Don't clean tinted or coated glass in direct sunlight
- Don't allow water or cleaning residue to remain on the glass or adjacent materials
- Don't begin cleaning without rinsing excessive dirt and debris
- Don't use abrasive cleaning solutions or materials
- Don't allow metal parts of cleaning equipment to contact the glass
- Don't trap abrasive particles between the cleaning materials and the glass surface
- Don't allow other trades to lean tools or materials against the glass surface
- Don't allow splashed materials to dry on the glass surface

# Fitting & Hanging

- Immediately after cutting and fitting (before hanging), seal all cut surfaces and ends of door with an effective quality sealer. See exterior and interior finishing recommendation for complete instructions.
- Prior to exterior exposure, doors should be finished with complete finish system.
- When hanging door, allow adequate clearance for swelling of door or frame in damp weather. Allow approximately 3/16" clearance for swelling when the door is installed in fully dry conditions. Jambs must be plumb.
- Do not cut doors down in height by more than 2-9/16" (13/16" maximum from top, 1-3/4" from the bottom). Care should be taken in cutting doors down in width (maximum 1/8" each side) to avoid exposing engineered core. Use sharp fine tooth saw for trimming ends of doors.
- · Caution must be used to avoid impairing the strength of the door when fitting for locks. Allow at least 1" of wood back of mortise.
- Use three hinges on doors up to 7' in height and four hinges on doors over 7'. Hinges must be set in a straight line to prevent distortion.
- Jambs and stops must be set square and plumb.
- For best performance, any exterior door should be installed under an overhang equal to the height of the door.
- To minimize heat loss and save energy, use weatherstripping.
- Do not use metal objects, (razor blades etc.) to remove caulking compound or paint and varnish residue, it is known to scratch the tempered glass. Please do not use compressed air to blow off wood doors, as condensation in the air lines may cause irregular finishing results.

# Storing & Handling

- Do not walk on any door units. Some units contain glass.
- Avoid leaving unfinished doors in direct sunlight. Prolonged exposure to direct sunlight will discolor the wood and bake on the plastic film which protects the glass during the finishing process.
- Avoid dragging doors across one another.
- Keep doors clean.
- Store doors flat on a level surface in a dry, well ventilated interior space.
- Doors should be conditioned to average prevailing relative humidity of the locality before hanging. This generally takes 48 to 72 hours.
- Doors should be delivered to the building site only after the concrete, plaster, stucco, sheet rock work and paint are completely dry.
- Doors should not be subject to abnormal heat, dryness or humidity for prolonged periods. Avoid sudden changes such as forced heat to dry out a building.
- Doors must be finished immediately upon delivery to the job site.
- If the doors are to be stored on the job site, the entire door including top and bottom edges must be sealed with a clear or pigmented based sealer to prevent moisture absorption. All six sides of the door must be properly sealed for warranty to apply.


# Maintenance

Your Woodgrain door has been handcrafted to last for years to come. But, like any fine piece of furniture, its finish will require periodic maintenance to keep it looking great and provide proper protection against the elements. Regular finish maintenance is also a requirement of the warranty that is included with every Woodgrain door.

Here are some signs to watch for that may indicate it is time for maintenance:

- Hairline cracks in the top coat of finish.
- Changes in the color of the finish.
- Changes in the texture of the finish, such as flaking or scaling.
- Dullness or chalkiness in the finish.

If you live in a severe climate or your entry receives a lot of direct sunlight from a southern or western exposure, you will want to examine your door's finish often. Depending on these conditions, you may also need to refinish the door more frequently.





# Warranty


## **Woodgrain Limited Warranty Information**

Woodgrain Doors (hereafter Seller) doors are warranted to be of sound material and workmanship and to be free of manufacturing defects which would cause the door to be unfit for ordinary recommended use for the period of twenty-four (24) months on interior doors and twelve months (12) on exterior doors from the date of shipment provided the handling, installation, and finishing proper instructions are followed. Failure to follow these guidelines voids the warranty.

Normal characteristics of kiln dried wood include but are not limited to, minor swelling and shrinking of parts made from wood, raised grain, minor pitch pockets, natural grain and color variations. Natural expansion and contraction of wood occurs with variations in climatic and atmospheric conditions such as humidity and temperature and is not a defect hereunder.

Warp in the plane of the door itself will be considered a defect only if it exceeds one-quarter inch (1/4") when measured as a deviation from a straight edge. Doors over 3-0 wide or 7-0 high are excluded from the warranty against warp. Improper hanging of the door or unsquare door frames are not considered as defects. Louver doors wider than 3-0 wide are not covered for slat warp and bow.

Any doors used in an exterior application must be at least 1 3/4" thick and must be installed under an adequate overhang. An adequate overhang depends on the typical weather conditions of the site where the building is located. This means an overhang of 50% of the height of the doorway in Northern or Eastern exposures (reference illustration where Y= Height of the Doorway and X = Length of Overhang). For doors painted or stained dark colors and/or severe exposure, extreme Southern, Southwestern and Western exposures the overhang must equal the height of the doorway (Y=X) where Y = Height of the Doorway and X = Length of Overhang.



For doors stained or painted black or espresso finishes, X = Y

Any doors found to be defective by the Seller will be repaired or replaced, or the purchase price will be refunded at the option of Woodgrain Doors, provided the handling, installation and finishing instructions have been followed.

An extended warranty period is granted solely for seal failure on insulated glass units (moisture between glass) for a period of ten (10) years from the date of manufacture. At Seller's sole discretion, the replacement door or glass will be shipped FOB from the Woodgrain Doors factory. Seller will not, under any circumstances, be liable for installation, refinishing or painting. Cracked, scratched or broken glass is not covered by this warranty. The glass warranty will be void if the product is not properly installed according to Sellers installation instructions, or is used in or around swimming pools, saunas, sprinkler systems or greenhouse enclosures; or if installed over 5,000 ft. above sea level. The warranty on doors will be void if the product is used in or around swimming pools, saunas, sprinkler systems or greenhouse enclosures. No agent, employee or representative of Seller has any authority to bind Seller to any affirmation, representation or warranty concerning Seller's products, except as expressly stated

The foregoing is in lieu of all other expressed warranties. All implied warranties of merchantability or fitness for a particular purpose are hereby limited in duration up to the two-year period stated herein. The liability of Woodgrain Doors is expressly limited to replacement or repair of the defects of the door, or refunding at its option. Woodgrain Doors will not be liable for any other expense, injury, loss or damage, whether direct or consequential, arising in connection with the sale or use of, or inability to use, any product of Woodgrain Doors, for any purpose. No purchaser shall be entitled to consequential damages as defined in the Uniform Commercial Code. Final determination of whether or not a defect exists shall be made solely by Seller in accordance with procedures established by Seller.



# Beauty. Strength. Durability.

www.woodgraindoors.com